## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.









Fig. 1





















Fig. 16








Fig. 18





Effects of Mycophenolic Acid on Proliferation: D5 9 Mycophenolic Acid, uM F. 6 . 20 0.1 0.01 0 100.001 80.00 00.09 40.00 20.00 0.00 # of Cells: % of Control 100 Effects of Mycophenolic Acid on Proliferation: D2 9 Mycophenolic Acid, uM 0.1 0.01 60.00 20.00 -100.001 - 80.00 # of Cells: % of Control

100

FIG. 22











FIG. 27



In-vitro release of RAPA from silicone catheters of different sizes.

Figure 29